



# PENTAX

PLASTICS

ISO CERTIFIED

[www.pentaxplastics.com](http://www.pentaxplastics.com)




# PENTAX

PLASTICS  
ISO CERTIFIED




## Product Information Sheet

### 30 Ltr Full Open Top (FOT) Drum with Metal Ring / Plastic Ring



White Coated Ring



Black Plastic Ring



Blue Plastic Ring

Parameter	Standard
Capacity in ML	30 Liter
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	535.00 mm
Diameter of the Drum	312.00 mm
Mouth Opening	242.00 mm
Wall Thickness	2.2 mm to 2.3 mm
Over ow Capacity	34.00 Ltrs
Drum Weight with Handle & Pin	1.330 Kgs (+/-2%) +- 5% ( in every table)
ACCESSORIES	
Material of Drum	Reliance B56003 or Equivalent
Weight of Cap With Rr Ring	0.24 Kgs (+/-2%)
Weight of Metal Clamp / Plastic Clamp	0.23/ 0.13 Kgs (+/-2%)
Total Wt (Drum+Cap+Clamp+Handle & Pins)	1.800 Kgs (+/-2%)




# PENTAX

PLASTICS  
ISO CERTIFIED




## Product Information Sheet


### 40 Ltr Full Open Top (FOT) Drum with Metal Ring / Plastic Ring



White Coated Ring



Black Plastic Ring



Blue Plastic Ring

Parameter	Standard
Capacity in ML	30 Liter
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	602.00 mm
Diameter of the Drum	345.00 mm
Mouth Opening	242.00 mm
Wall Thickness	2.2 mm to 2.3 mm
Over ow Capacity	46.00 Ltrs
Drum Weight with Handle & Pin	1.530 Kgs (+/-2%)
ACCESSORIES	
Material of Drum	Reliance B56003 or Equivalent
Weight of Cap With Rr Ring	0.24 Kgs (+/-2%)
Weight of Metal Clamp / Plastic Clamp	0.23/ 0.13 Kgs (+/-2%)
Total Wt (Drum+Cap+Clamp+Handle & Pins)	2.00 Kgs (+/-2%)




# PENTAX

PLASTICS  
ISO CERTIFIED




## Product Information Sheet


## 50 Ltr Full Open Top (FOT) Drum with Metal Ring / Plastic Ring



White Coated Ring



Black Plastic Ring



Blue Plastic Ring

Parameter	Standard
Capacity in ML	50 Liter
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	585.00 mm
Diameter of the Drum	380.00 mm
Mouth Opening	320.00 mm
Wall Thickness	2.2 mm to 2.5 mm
Over ow Capacity	52.00 Ltrs
Drum Weight with Handle & Pin	1.750 Kgs (+/-2%)
ACCESSORIES	
Material of Drum	Reliance B56003 or Equivalent
Weight of Cap With Rr Ring	0.46 Kgs (+/-2%)
Weight of Metal Clamp / Plastic Clamp	0.29/ 0.13 Kgs (+/-2%)
Total Wt (Drum+Cap+Clamp+Handle & Pins)	2.5 Kgs (+/-2%)




# PENTAX

PLASTICS  
ISO CERTIFIED




## Product Information Sheet

## 60 Ltr Full Open Top (FOT) Drum with Metal Ring / Plastic Ring



White Coated Ring



Black Plastic Ring



Blue Plastic Ring

Parameter	Standard
Capacity in ML	60 Liter
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	680.00 mm
Diameter of the Drum	380.00 mm
Mouth Opening	320.00 mm
Wall Thickness	2.2 mm to 2.5 mm
Over ow Capacity	65.00 Ltrs
Drum Weight with Handle & Pin	2.250 Kgs (+/-2%)
ACCESSORIES	
Material of Drum	Reliance B56003 or Equivalent
Weight of Cap With Rr Ring	0.46 Kgs (+/-2%)
Weight of Metal Clamp / Plastic Clamp	0.29/ 0.19 Kgs (+/-2%)
Total Wt (Drum+Cap+Clamp+Handle & Pins)	03 Kgs (+/-2%)




# PENTAX


PLASTICS  
ISO CERTIFIED




## 60 Ltr Rkt Big Die (Narrow Mouth Type)



Red Colour Cap



Black Colour Cap



Blue Colour Cap

### Product Information Sheet

Parameter	Standard
Capacity in ML	60 Liter
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	680.00 mm
Body Length	380.00 mm
Body Width	320.00 mm
Mouth Opening	2.2 mm to 2.5 mm
Wall Thickness	65.00 Ltrs
Overflow Capacity	2.250 Kgs (+/-2%)
Weight of Drum With Handle & Pin	2.250 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.040 KGS (+/-2%)
Weight of Insert With O Ring	0.01 KGS (+/-2%)
Total Weight of Drums With Cap & Plug	2.5 KGS (+/-2%)



# PENTAX

PLASTICS  
ISO CERTIFIED



## 50 Ltr Rkt Small Die (Narrow Mouth Type)



### Product Information Sheet

Parameter	Standard
Capacity in ML	50 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	555 MM
Body Length	406 MM
Body Width	325 MM
Mouth Opening	50 MM
Wall Thickness	2.3 MM
Overflow Capacity	55 LTR RIM FULL WATER CAPACITY
Weight of Drum With Handle & Pin	2.460 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.040 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	2.5 Kgs (+/-2%)



# PENTAX

PLASTICS  
ISO CERTIFIED



## 50 Ltr Rkt Pentax Die (Narrow Mouth Type)



### Product Information Sheet

Parameter	Standard
Capacity in ML	50 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	575 MM
Body Length	405 MM
Body Width	335 MM
Mouth Opening	50 MM
Wall Thickness	2.5 MM
Overflow Capacity	55 LTR RIM FULL WATER CAPACITY
Weight of Drum With Handle & Pin	2.460 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.04 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	2.5 Kgs (+/-2%)





### Product Information Sheet

Parameter	Standard
Capacity in ML	20 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	445 MM
Body Length	355 MM
Body Width	185 MM
Mouth Opening	43 MM
Wall Thickness	2.2 TO 2.3 MM
Overflow Capacity	23 LTR
Weight of Drum With Handle & Pin	1.170 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.030 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	1.200 Kgs (+/-2%)



# PENTAX

PLASTICS

ISO CERTIFIED



## 35 Liters Jerry Can



### Product Information Sheet

Parameter	Standard
Capacity in ML	35 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	500 MM
Body Length	390 MM
Body Width	235 MM
Mouth Opening	50 MM
Wall Thickness	2.2 TO 2.3 MM
Overflow Capacity	37.80 LTR
Weight of Drum With Handle & Pin	1.960 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.040 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	0.2 Kgs (+/-2%)



### Product Information Sheet

Parameter	Standard
Capacity in ML	35 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	500 MM
Body Length	390 MM
Body Width	230 MM
Mouth Opening	50 MM
Wall Thickness	2.2 TO 2.3 MM
Overflow Capacity	37.80 LTR
Weight of Drum With Handle & Pin	1.760 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.040 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	1.800 Kgs (+/-2%)



# PENTAX

PLASTICS  
ISO CERTIFIED



## 20 Liters Polycan



### Product Information Sheet

Parameter	Standard
Capacity in ML	20 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	400 MM
Body Length	275 MM
Body Width	255 MM
Mouth Opening	43 MM
Wall Thickness	2.2 TO 2.3 MM
Overflow Capacity	23 LTR
Weight of Drum With Handle & Pin	1.170 Kgs (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.030 Kgs (+/-2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%)
Total Weight of Drums With Cap & Plug	1.200 Kgs (+/-2%)



# PENTAX

PLASTICS

ISO CERTIFIED



## 35 Liters Polycan



### Product Information Sheet

Parameter	Standard
Capacity in ML	35 LTR
Material grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height of the Drum	465 MM
Body Length	330 MM
Body Width	294 MM
Mouth Opening	50 MM
Wall Thickness	2.2 TO 2.3 MM
Overflow Capacity	37.80 LTR
Weight of Drum With Handle & Pin	1.760 KGS (+/-2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.040 KGS (+/-2%)
Weight of Insert With O Ring	0.01 KGS (+/-2%)
Total Weight of Drums With Cap & Plug	1.800 KGS (+/-2%)



## 50 Liters Double Narrow Mouth



### Product Information Sheet

Parameter	Standard
Capacity In MI	50 LTR
Material Grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height Of Drums With Cap	565 MM
Maximum Diameter	400 MM
Mouth Opening	2" CAP /1" CAP 50 MM / 30 MM
Wall Thickness	2.6 MM TO 2.75 MM
Overflow Capacity	58 LTR RIM FULL WATER CAPACITY
Weight of Cap With Handle & Pin	2.440 Kgs (+/- 2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.060 Kgs (+/- 2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%), 0.001
Total Weight of Drums With Cap & Plug	2.5 Kgs (+/-2%)



## 100 Liters Double Narrow Mouth



### Product Information Sheet

Parameter	Standard
Capacity In MI	100 LTR
Material Grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height Of Drums With Cap	725 MM
Maximum Diameter	480 MM
Mouth Opening	2" CAP /1" CAP    50 MM / 30 MM
Wall Thickness	2.6 MM TO 2.8 MM
Overflow Capacity	110 LTR RIM FULL WATER CAPACITY
Weight of Cap With Handle & Pin	4.930 Kgs (+/- 2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.070 Kgs (+/- 2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%), 0.001
Total Weight of Drums With Cap & Plug	5.00 Kgs (+/-2%)



## Product Information Sheet

## 50 Liters Double Narrow Mouth



Parameter	Standard
Capacity In MI	50 LTR
Material Grade	52 GB 003
Colour	D. Blue or any Colour Which Customer Needs
Height Of Drums With Cap	575 MM
Maximum Diameter	400 MM
Mouth Opening	143 MM
Wall Thickness	2.3 MM
Overflow Capacity	58 LTR RIM FULL WATER CAPACITY
Weight of Cap With Handle & Pin	2.374 Kgs (+/- 2%)
<b>ACCESSORIES</b>	
Weight of Cap & Rubber	0.126 Kgs (+/- 2%)
Weight of Insert With O Ring	0.01 Kgs (+/-2%), 0.001
Total Weight of Drums With Cap & Plug	2.5 Kgs (+/-2%)